



IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Timothy D. Strecker

Confirmation No.: 7060

Application No.: 10/716902

Examiner: Frederick Nicolas

Filing Date: Nov 18, 2003

Group Art Unit: 3754

Title: Mixing Rotary Positive Displacement Pump For Micro Dispensing

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

PETITION FOR EXTENSION OF TIME

Sir:

In an Office Action mailed on Apr 7, 2005, on the above-identified U.S. Patent application, a shortened statutory period of 3 months was set for response. In accordance with 37 C.F.R. 1.136(a), applicant(s) hereby request(s) a:

<input checked="" type="checkbox"/> one month	08/17/2005 HTECKLU1 00000011 082025 10716902
<input type="checkbox"/> two months	02 FC:1251 120.00 DA
<input type="checkbox"/> three months	
<input type="checkbox"/> four months	

time extension so that the period for response to the Office Action expires on Jul 7, 2005. Authorization to charge the fee required by 37 CFR 1.17 to Deposit Account 08-2025 appears in the enclosed transmittal letter. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this sheet is enclosed.

I hereby certify that this correspondence is being deposited with the United States Postal Service as :

☒ First Class Mail

☐ "Express Mail Post Office to Addressee" service under 37 CFR 1.10.

"Express Mail" label no.

in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450.

Date of Deposit:

Typed Name: Donald J. Coulman

Signature: Donald J. Coulman

Respectfully submitted,

Timothy D. Strecker

By Donald J. Coulman

Donald J. Coulman

Attorney/Agent for Applicant(s)
Reg. No. 50,406

Date: Aug. 05, 2005

Telephone No.: 541 715 1694